

Legend
TripTicket Table
Rerun Table
TripArchive Table
*Note: Trip Archive often has 2 records for a value
Clients Table

Special Needs
Built into Easy Rides
0: Ambulatory
1: Blind
2: Disabled
3: Hearing Impaired
4: Wheelchair
5: Walker/Cane
6: Other
trSpclNdID
rrSpclNdID
trSpclNdID

Conditional Trip (Trip Codes)
Built into Easy Rides
0: Pool
1: Schedule
2: Sent
3: On Board
4: Deliver
5: No Show
6: Cancel
7: Deny
8: Stage
10: Delete
11: Suspend
trTripCode
TripCode

Client Name
trName
rrName
trName

Client ID
trClientID
rrClientID
clClientID

Client Age
clBirthDate
clAgeGroup
Client Phone
clPhone

Client Status
trStatusID
rrStatusID
scStatusID
scStatus

Vehicle Type
trBusTypeID
rrBusTypeID
trBusTypeID
trBusType

Date
Stored as part of PU and DO Times

Edit Trip Form						
Client Name	ID	Age	Phone	Client Status	Special Needs	Vehicle Type
Start, Start	6320	62	(555) 907-146	NA	Ambulatory	NA
Friday	2/26/2010		-Stop Times-		Conditional Trip	
				<input type="checkbox"/> Call Back	Schedule	
Addresses	Frequent Addresses	Apartment	Site	Reqst.	Sche.	Route
Pickup	Maple Hts Garage (5353 Lee Rd)		Maple Heights	0800	0800	Maple 210
Delivery	Maple Hts Garage (5353 Lee Rd)		Maple Heights	0830	0830	<a href="#">New Leg</a>
Appointment			Board Time	Auto Schedule		
None			4 mins.	<a href="#">Check Feasibility</a>		

PU Address
trPUAdssID
trPUAdss
rrPUAdssID
rrPUAdss
trPUAdssID
trPickUpAddress

Route
trRouteID
rrRouteID
trRouteID
trRoute

PU Apt
trPUAdssApt
rrPUAdssApt
trPUAdssApt

DO Address
trDOAdssID
trDOAdss
rrDOAdssID
rrDOAdss
trDOAdssID
trDeliveryAddress

DO Apt
trDOAdssApt
rrDOAdssApt
trDOAdssApt

PU Time Request
trPUTmOrgnl
rrPUTimeOrgnl
trPickUpTmOrgnl

PU Time Scheduled
trPUTime
rrPUTime
trPickUpTime

PU Site
trPUSiteID
rrPUSiteID
trPUSiteID

Appt Codes
0: None
1: PU Stop
3: DO Stop
3: Both
4: Gap

DO Site
trDOSiteID
rrDOSiteID
trDOSiteID

DO Time Request
trDOTimeOrgnl
rrDOTimeOrgnl
trDeliveryTimeOrgnl

DO Time Scheduled
trDoTime
rrDOTime
trDeliveryTime

Appt Code
trApptCode
rrApptCode
trApptCode

Board Time
trClientTime
rrClientTime
trClientTime

Version
This document was last updated on 3/26/2010

Vehicle
trVehicleID
veVehicleID
veVehicleDescription

Driver
DrDriverID

Notes
Vehicle and Driver are assigned to routes and stored once a trip is marked in a final state.

Legend
TripTicket Table
Rerun Table
TripArchive Table
*Note: Trip Archive often has 2 records for a value
Clients Table

Provider
trProviderID
rrProviderID
trProviderID
prProviderName

Fare Rate
trRateTypeID
rrRateTypeID
trRateTypeID
trRateType

Client Fare
trFare
rrFare
trFare

Fare Type
trFareTypeID
rrFareTypeID
trFareTypeID
trFareType

Arrow
See Page 4

Passengers
trNbrPassengers
rrNbrPassengers
trNbrPassengers

Attendants
trNbrAttendants
rrNbrAttendants
trNbrAttendants

Escorts
trNbrEscorts
rrNbrEscorts
trNbrEscorts

Stopovers
trNbrStops
rrNbrStops
trNbrStops

Provider	Fare Rate	Client Fare	Fare Type
Maple Hts	Community	1.00	NA
Nbr. Psngrs: 0	Purpose: REQUIRED	DB List 0: NA	DB List 3:
Nbr. Atndts: 0	P. Funder: Maple Hts	Denials: NA	DB List 4:
Nbr. Escrts: 0	S. Funders: NA	Reduction:	DB List 5: NA
Stopovers: 0	Sche Agent: Mc George, Sally	Low Income: NA	DB List 7: NA

Purpose
trPurposeID
rrPurposeID
trPurposeID
puPurpose

Arrow
See Page 3

Sched Agent
trSchAgent
rrSchAgent
trSchAgent

Funder
trFunderId
rrFunderID
trFunderID
trFunder

DB List 0
trPermitCode
rrPermitCode
trPermitCode

DB List 3
trltem3
rrltem3
trltem3

DB List 1
trltem1
rrltem1
trltem1

DB List 4
trltem4
rrltem4
trltem4

DB List 2
trltem2
rrltem2
trltem2

DB List 5
trltem5
rrltem5
trltem5

DB List 6
trltem6
rrltem6
trltem6

DB List 7
trltem7
rrltem7
trltem7

S. Funders
trFunderID1, trFunderID2, trFunderID3
rrFunderID1, rrFunderID2, rrFunderID3
trFunderID1, trFunderID2, trFunderID3
trFunder1, trFunder2, trFunder3

Legend
TripTicket Table
Rerun Table
TripArchive Table
*Note: Trip Archive often has 2 records for a value
Clients Table

Requested
TmSpRequest
TmSpRequest
TmSpRequest

Last Modified
trTmSpMod
rrTmSpMod

Requested: Thu Feb 25 12:53 PM Last Modified: Thu Feb 25 12:53 PM  
 Notice: -Rerun- Last Changed By: Pytel, Marti  
 Was Cancelled On: (time)

Last Changed By
trAgent
rrAgent
trAgent

Notice
Calculated Field

Was Cancelled On
TmSpCancel
TMSpCancel

Trip Note
trTrString
rrTrString
trMemo

Client Note
clMemo

Trip Note	NA			
Client Note	NA			
		Open Rerun	Cancel Trip	OK
Pickup Direction	(5501 Dunham Rd)	City	PU Phone	
		Maple Heights	(888) 806-6595	
Dropoff Direction	(5501 Dunham Rd)	City	DO Phone	
		Maple Heights	(888) 806-6595	Cancel

PU Direction
Join from Addresses Table

PU City
Join from Addresses Table

PU Phone
Join from Addresses Table

DO Direction
Join from Addresses Table

DO City
Join from Addresses Table

DO Phone
Join from Addresses Table

Legend
TripTicket Table
Rerun Table
TripArchive Table
*Note: Trip Archive often has 2 records for a value
Clients Table

Funding Rate
trFundingRateID
rrFundingRateID
trFundingRateID
trFundingRate

Funding
trFunding
rrFunding
trFunding

Base
trBaseFare
rrBaseFare
trBaseFare

Mileage Rate
trMileageRate
rrMileageRate
trMileageRate

Trip Distance
trTripMiles
rrTripMiles
trTripMiles

Base Distance
trBaseMileage
rrBaseMileage
trBaseMileage

Payable Rate
trPayableRateID
rrPayableRateID
trPayableRateID
trPayableRate

Payable
trPayable
rrPayable
trPayable

Time Rate
trTimeRate
rrTimeRate
trTimeRate

Trip Time
trTripTime
rrTripTime
trTripTime

Base Time
trBaseTime
rrBaseTime
trBaseTime

Funding Rate	Funding \$\$	Base	Rate[\$/d]	Trip Dist	Base Dist			
<input type="text" value="0.00"/>	<input type="text" value="0.00"/>	<input type="text" value="0.00"/>	<input type="text" value="0.00"/>	<input type="text" value="0.0"/>	<input type="text" value="0.0"/>			
Payable Rate	Payable \$\$	Rate[\$/t]	Trip Time	Base Time				
<input type="text" value="0.00"/>	<input type="text" value="0.00"/>	<input type="text" value="0.00"/>	<input type="text" value="0"/>	<input type="text" value="0"/>				
Stop Events	Garage Out Start Odom	Arrive	Pickup Odometer	On Board Depart	Delivered Arrive	Delivery Odometer	Depart	Garage In End Odom
<input type="text" value="0"/>	<input type="text" value="0000"/>	<input type="text" value="0000"/>	<input type="text" value="0"/>	<input type="text" value="0000"/>	<input type="text" value="0000"/>	<input type="text" value="0"/>	<input type="text" value="0000"/>	<input type="text" value="0"/>

Start Odom
Odom_Strt
Odom_Strt

Arrive
TmSpPUArve
TMSpPUArve

PU Odom
Odom_PU
Odom_PU

PU Depart
TmSpOnBoard
TmSpOnBoard

Arrive
TmSpDelivered
TMSpDelivered

DO Odom
Odom_DO
tOdom_DO

DO Depart
TmSpDODprt
TmSpDODprt

End Odom
Odom_End
Odom_End